

## SAFETY DATA SHEET

### SECTION 1 PRODUCT AND COMPANY INFORMATION

Product Name(s): FLEXSEAL

Product Code(s): FX-5

Uses: Elastomeric coating for insulation and HVAC related.

Company: Controlled Release Technologies, Inc.

Address: 1016 Industry Drive; Shelby, NC 28152; USA

Telephone Number: (704) 487-0878 Fax Number: (704) 487-0877

Emergency Telephone Number: ChemTel Inc. 1- (800) 255-3924; + 01 (813) 248-0585 (International)

Date Issued: April 30, 2015 Date Revised: April 30, 2015

This SDS complies with the OSHA Hazard Communication Standard 29CFR1910.1200 as revised in May 2012 (GHS). It may not meet requirements in other countries.

# SECTION 2 HAZARDS IDENTIFICATION

GHS WARNING

Classification: Carcinogen (Category 2)

Eye Irritation (Category 2B) Skin Irritation (Category 2)

Aquatic Chronic Toxicity (Category 4)

GHS Hazard Suspected of causing cancer

Statements: Causes eye irritation

Causes skin irritation

May cause long lasting harmful effects to aquatic life

GHS <u>Prevention:</u>

Precautionary
Obtain special instructions before use.

Statements:

have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not handle until all safety precautions

Wash hands/skin thoroughly after

handling.

Avoid release to the environment

If exposed or concerned: Get medical

advice/attention.

Response:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If on skin: Wash with plenty of water/soap.

Take off contaminated clothing and wash it

before reuse.

Collect spillage.

Storage: Disposal:

Store locked up. Dispose of contents/container in accordance

with local/regional/national/international

regulations.

GHS Approximately 53% of this mixture consists of ingredient(s) of unknown acute toxicity.

Assessment: Approximately 59% of the mixture consists of ingredient(s) of unknown hazards to the

Revision Date: April 30, 2015 Page 1 of 10

#### **SECTION 2** HAZARDS IDENTIFICATION

aguatic environment.

#### **SECTION 3 COMPOSITION / INGREDIENTS**

Component	CAS Number	EC Number	Concentration
Polymer(s)	Proprietary		15 - 30%
Water	7732-18-5	231-791-2	30 - 45%
Calcium carbonate	1317-65-3	215-279-6	20 - 30%
Zinc oxide	1314-13-2	215-222-5	1 - 5%
Titanium dioxide	13463-67-7	236-675-5	2 - 10%
Halogenated phenyl alkane	Proprietary		2 - 10%
Propylene glycol	57-55-6	200-338-0	1 - 5%

Trade Secret Claims: Specific chemical identity and/or exact percentage (concentration) of components has been withheld as a trade secret.

#### **SECTION 4** FIRST AID MEASURES

First Aid - Eves: In case of contact, immediately flush eyes with plenty of water for at least 15

minutes. Get medical attention, if irritation develops.

First Aid - Skin: In case of contact, immediately flush skin with plenty of soap and water for at least

15 minutes while removing contaminated clothing and shoes. Get medical attention immediately if irritation or rash develops and/or persists. Wash

contaminated clothing before reuse.

If swallowed and feel unwell, call a physician or poison control center. DO NOT First Aid - Ingestion:

induce vomiting unless directed to do so by a physician or poison control center. If victim is fully conscious, give a cupful of water. Never give anything by mouth to

an unconscious person.

First Aid - Inhalation: If respiratory symptoms or other symptoms of exposure develop, move victim away

from source of exposure and into fresh air. If symptoms persist, seek immediate medical attention. If victim is not breathing, clear airway and immediately begin

artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

Effects - Acute and

Delayed:

Important Symptoms / Tissue redness/irritation, nausea, breathing difficulty.

Advice to Physician: Treat symptomatically.

#### FIRE FIGHTING MEASURES **SECTION 5**

Extinguishing Media: Treat surrounding material. Water spray, dry chemical, carbon dioxide, or

foam is recommended. Carbon dioxide can displace oxygen. Use caution

when applying carbon dioxide in confined spaces.

Specific Hazards: This product is not combustible. This product may give rise to hazardous

vapors in a fire. Vapors/fumes may be irritating, corrosive and/or toxic.

Protective equipment and procedures for fire-fighters: Wear full protective clothing and self-contained breathing apparatus.

Additional Advice: None.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

Spill Procedures: Wipe up spills with an absorbent towel/material and transfer into suitable

containers for recovery or disposal. Finally clean up residual with an appropriate solvent (e.g. acetone), as this product is not soluble in water.

Personal Precautions: Wear suitable protective clothing.

Environmental Precautions: Prevent the material from entering drains or water courses. Do not

discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.

## SECTION 7 HANDLING AND STORAGE

Handling: Wear appropriate personal protection (See Section 8) when handling this material.

The work area must be equipped with a safety shower and eye wash station. If exposed to the solution, avoid contact with skin and eyes. Wash thoroughly after

handling solution.

Storage: Keep container(s) tightly closed. Use and store this material at temperatures

between 15.5 and 32.2°C (60-90°F) away from heat, direct sunlight and hot metal surfaces. Keep from freezing. Keep away from any incompatible materials (see

Section 10).

Additional Advice: Store in original container. Store as directed by the manufacturer.

### SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational Exposure

Standards:

Exposure limits are listed below, if they exist.

Polymer(s): None. Water: None.

Calcium carbonate: ACGIH TLV: 10 mg/m3 TWA.

UK: 4 mg/m3 TWA (respirable). UK: 10 mg/m3 TWA (total inhalable). OSHA PEL: 5 mg/m3 TWA (respirable). OSHA PEL: 15 mg/m3 TWA (total dust).

Zinc oxide: ACGIH TLV: 2 mg/m3 TWA (respirable).

ACGIH TLV: 10 mg/m3 STEL (respirable). OSHA PEL: 5 mg/m3 TWA (respirable). OSHA PEL: 15 mg/m3 TWA (total dust).

Titanium dioxide: ACGIH TLV: 3 mg/m3 TWA (respirable).

ACGIH TLV: 10 mg/m3 TWA (inhalable).

UK: 4 mg/m3 TWA (respirable). UK: 10 mg/m3 TWA (total inhalable). OSHA PEL: 15 mg/m3 TWA (total dust).

Halogenated phenyl

alkane:

None.

Propylene glycol: None.

**Engineering Control** 

Measures:

Engineering methods to prevent or control exposure are preferred. Methods

include process or personnel enclosure, mechanical ventilation (local

exhaust), and control of process conditions.

Respiratory Protection: A NIOSH certified air purifying respirator with an organic cartridge may be

used under conditions where airborne concentrations are expected to exceed exposure limits. An OSHA approved Category 21C air-purifying respirator equipped with a full facepiece and high efficiency particulate filters

or a Category 21C powered air purifying respirator is required where

## SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

exposure to particles is likely.

Hand Protection: The use of gloves impervious to the specific material handled is advised to

prevent skin contact, possible irritation and skin damage (see glove

manufacturer literature for information on permeability).

Eye Protection: Approved eye protection (safety glasses with side-shields or goggles) to

safeguard against potential eye contact, irritation, or injury is recommended.

Depending on conditions of use, a face shield may be necessary.

Body Protection: Impervious clothing should be worn as needed to prevent skin contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: White

Odor: Characteristic Odor Threshold: Not available. pH: Not available. Melting Point/Range (°C/°F): Not available. Boiling Point/Range (°C/°F): Not available. Flash Point (PMCC) (°C/°F): Not flammable. **Evaporation Rate:** Not available. Flammability / Explosivity Limits in Air (%): Not available. Vapor Pressure: Not available. Vapor Density (Air = 1): Not available. Relative Density: 1.3 g/cm3 (25°C) Solubility in Water: Partly soluble.

Partition Coefficient: Not available.

Autoignition Temperature (°C/°F): Not available.

Decomposition Temperature (°C/°F): Not available.

Viscosity: 127 KU (paint viscosity)

Explosive Properties: None.

Oxidizing Properties: None.

Volatile Organic Content (VOC) (g/l): ca. 20 - 40 g/l (as defined by 40CFR51.100)

# SECTION 10 STABILITY AND REACTIVITY

Reactivity: Product will not undergo additional reaction.
Stability: Stable under normal storage conditions.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Contact with incompatible materials, excessive heat.

Incompatibilities: Oxidizing agents, strong acids, strong bases.

Hazardous Decomposition Oxides of carbon, oxides of nitrogen, oxides of phosphorus, bromine,

Products: hydrogen bromide, metal oxides, aliphatic and aromatic compounds,

## SECTION 10 STABILITY AND REACTIVITY

toxic by-products.

### SECTION 11 TOXICOLOGICAL INFORMATION

If available, toxicity data for the product is given; otherwise component data is listed.

Acute Toxicity: This product is not expected to be appreciably toxic.

(Polymer(s)) No data. (Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) Oral LD50 (rat) > 5000 mg/kg; Inhalation LC50 (mouse) > 5-7

mg/L (4 hr)

(Titanium dioxide) Oral LD50 (rat) > 10,000 mg/kg; Dermal LD50 (rabbit) >

10,000 mg/kg; Inhalation LC50 (rat) > 6.8 mg/L (4 hr)

(Halogenated phenyl alkane) Oral LD50 (rat) > 5000 mg/kg; Dermal LD50

(rabbit) > 2000 mg/kg

(Propylene glycol) Oral LD50 (rat) 21,000 mg/kg; Dermal LD50 (rabbit)

20,800 mg/kg

Skin Corrosion / Irritation: The product may be irritating to the skin.

(Polymer(s)) No data.

(Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) Slightly irritating to skin (guinea pig / rabbit).

(Titanium dioxide) Irritating to skin (human).

(Halogenated phenyl alkane) Non-irritating to skin (rabbit).

(Propylene glycol) Non-irritating to skin (rabbit).

Serious Eye Damage /

The product may be irritating to the eyes.

Irritation:

(Polymer(s)) No data. (Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) Slightly irritating to eyes (rabbit)

(Titanium dioxide) No data.

(Halogenated phenyl alkane) Non-irritating to eye (rabbit).

(Propylene glycol) Non-irritating to eyes (rabbit).

Respiratory or Skin

Sensitization:

The product is not expected to be dermally sensitizing.

(Polymer(s)) No data.

(Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) Not dermally sensitizing (human patch testing).

(Titanium dioxide) No data.

(Halogenated phenyl alkane) Not dermally sensitizing (guinea pig).

(Propylene glycol) Not dermally sensitizing (guinea pig).

Mutagenicity: This product is not expected to be mutagenic.

(Polymer(s)) No data. (Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) Not genotoxic in Ames and E. coli testing. Positive results have been observed in mouse lymphoma and Syrian hamster embryo systems. Slight increase in chromosomal aberrations in rat bone marrow was

reported after exposure to zinc oxide by inhalation.

(Titanium dioxide) Not genotoxic in Ames and Syrian hamster embryo cell

testing.

(Halogenated phenyl alkane) Not mutagenic (Ames and mammalian

chromosome aberration test systems).

(Propylene glycol) No evidence of mutagenicity (Ames).

Carcinogenicity: This product may be carcinogenic.

#### **SECTION 11** TOXICOLOGICAL INFORMATION

(Polymer(s)) No data. (Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) Inadequate evidence in humans and animals.

(Titanium dioxide) Limited evidence for carcinogenicity in animals. There is inadequate evidence in humans. Studies related to inhalation of airborne particles.

(Halogenated phenyl alkane) May cause cancer due to significant chronic dermal and inhalation exposures (EPA assessment based on similar compounds).

(Propylene glycol) Not an animal carcinogen.

Reproductive /

This product is not expected to be developmentally harmful.

Developmental Toxicity:

(Polymer(s)) No data. (Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) In diets of of 0.5% in rats there was no retardation of growth; at 1% retarded growth was observed. In pregnant rats, dietary zinc oxide at 4000 ppm zinc causes resorption and death of fetuses.

(Titanium dioxide) No data.

(Halogenated phenyl alkane) No evidence of maternal toxicity, developmental

toxicity or teratogencity was observed at dosage levels up to 1250

mg/kg/day (rabbit).

(Polymer(s)) No data.

(Propylene glycol) No adverse effects on reproduction were found when oral

concentrations were <7.5% (rat).

Chronic/Subchronic

Toxicity: Specific Target

(Water) No data.

Organ/Systemic Toxicity -

(Calcium carbonate) No data.

Single Exposure:

(Zinc oxide) No data. (Titanium dioxide) No data.

(Halogenated phenyl alkane) No data.

(Propylene glycol) Central nervous system effects have been observed in

mice.

Chronic/Subchronic Toxicity: Specific Target (Polymer(s)) No data. (Water) No data.

Organ/Systemic Toxicity -

(Calcium carbonate) No data.

Repeated Exposure: (Zinc oxide) No data. (Titanium dioxide) No data.

> (Halogenated phenyl alkane) In a 28 day study of orally fed rats an NOEL was established at greater than or equal to 1250 mg/kg/day (the highest dose tested). In a similar 90 day study, an NOAEL was 1000 mg/kg/day. (Propylene glycol) Degenerative changes to the kidneys and liver have been

observed.

Aspiration Hazard: This product is not expected to be an aspiration hazard.

Additional Information: None.

## **SECTION 12 ECOLOGICAL INFORMATION**

If available, ecological data for the product is given; otherwise component data is listed.

This product is expected to be harmful to aquatic species. Acute Ecotoxicity:

> (Polymer(s)) No data. (Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) EC50 (tadpole) 3.2 mg/l/48 hr; LD0 (carp, forcefed) 228-262

mg/l/52 hr.

(Titanium dioxide) No data.

## SECTION 12 ECOLOGICAL INFORMATION

(Halogenated phenyl alkane) LC50 (Rainbow trout) > 110 mg/l/96 hr; LC50

(Daphnia magna) > 110 mg/l/48 hr.

(Propylene glycol) LC50 (fathead minnows) 54.9 g/l/96h; EC50 (green algae) 19,000 mg/l/96h; EC50 (Daphnia magna) > 43,500 mg/l/48h.

Mobility: (Polymer(s)) No data.

(Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) No data. (Titanium dioxide) No data.

(Halogenated phenyl alkane) No data.

(Propylene glycol) Expected to have very high mobility in soil based upon an

estimated Koc of 8.

Persistence/Degradability: (Polymer(s)) No data.

(Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) No data.

(Titanium dioxide) Not biodegradable.

(Halogenated phenyl alkane) Not readily biodegradable.

(Propylene glycol) Readily biodegradable.

Bioaccumulation: (Polymer(s)) No data.

(Water) No data.

(Calcium carbonate) No data.

(Zinc oxide) No data. (Titanium dioxide) No data.

(Halogenated phenyl alkane) No data.

(Propylene glycol) An estimated BCF of 3 suggests the potential for

bioconcentration in aquatic organisms is low.

Other adverse effects: None.

#### SECTION 13 DISPOSAL CONSIDERATION

Environmental precautions: Prevent the material from entering drains or water courses. Do not

discharge directly to a water source. Advise Authorities if spillage has entered watercourse or sewer or has contaminated soil or vegetation.

Product Disposal: Dispose in accordance with all local, state (provincial), and federal

regulations. Under RCRA, it is the responsibility of the product's user to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because the product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.

Container Disposal: Do not remove label until container is thoroughly cleaned. Empty

containers may contain hazardous residues. This material and its

container must be disposed of in a safe way.

### SECTION 14 TRANSPORT INFORMATION

DOT Proper Shipping Name: Not regulated

UN Number: None.

UN Class: None.

UN Packaging Group: None.

Reportable Quantity: None.

Marine Pollutant: None.

## SECTION 14 TRANSPORT INFORMATION

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Consult current IATA Regulations prior to shipping by air.

## **SECTION 15 REGULATORY INFORMATION**

US Toxic Substance Control

Act:

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Canadian Domestic Substance

List:

One or more component(s) of this product are not listed on the Canadian

Domestic List. Limited quantities may be permitted.

EU Existing Inventory of Chemical Substances:

One or more component(s) of this product are not in compliance with the inventory listing requirements of the E.U. Existing Inventory of Chemical Substances (EINECS). One or more component(s) of this product have not been pre-listed under REACh. Limited quantities may be permitted.

TSCA Sec.12(b) Export

Notification:

This product contains a chemical at or above de minimis concentrations

which requires reporting:

- Halogenated phenyl alkane (Section 5 SNUR - CFR 40 § 721.536)

Canadian WHMIS Classification:

D.2.A, D.2.B

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all of the information required by the

CPR.

Massachusetts Right-To-Know: This product contains materials subject to disclosure under the

Massachusetts' Right-To-Know Law:

Calcium carbonateZinc oxide (fume)Titanium dioxide

New Jersey Right-To-Know:

This product contains materials subject to disclosure under the New

Jersey's Right-To-Know Law:
- Calcium carbonate (4001)

- Zinc oxide (2037)

- Titanium dioxide (1861)

Pennsylvania Right-To-Know:

This product contains materials subject to disclosure under the

Pennsylvania's Right-To-Know Law:

Calcium carbonateZinc oxide (fume)Titanium dioxide

California Proposition 65:

This product contains materials which the State of California has found to cause cancer, birth defects or other reproductive harm:

- Titanium dioxide (airborne particles)

Diphenyl ketone (< 0.2%)</li>
Acrylonitrile (trace)
Dioxane, 1.4- (trace)
Ethylene oxide (trace)

Lead (trace)Cadmium (trace)

SARA TITLE III-Section 311/312 Categorization (40 CFR 370):

Immediate (acute), delayed (chronic) hazard

SARA TITLE III-Section 313

This product contains materials which are listed in Section 313 at or above de minimis concentrations:

- Zinc oxide (as Zinc compound)

**CERCLA Hazardous** 

(40 CFR 372):

This product contains materials subject to reporting under CERCLA and

#### **SECTION 15 REGULATORY INFORMATION**

Substance (40 CFR 302) Section 304 of EPCRA:

- Zinc oxide (as Zinc compound)

Water Hazard Class (WGK): This product is slightly water-endangering (WGK=1).

Other Chemical Inventories: Australia (AICS): One or more component(s) not listed.

> China (IECSC): One or more component(s) not listed. Japan (ENCS): One or more component(s) not listed. Korea (KCI): One or more component(s) not listed. Philippines (PICCS): One or more component(s) not listed.

#### **SECTION 16** OTHER INFORMATION

NFPA Rating - HEALTH: NFPA Rating - FIRE: 1 NFPA Rating - REACTIVITY: 0

NFPA Rating - SPECIAL: NONE

SDS Date Issued: April 30, 2015

SDS Current Version: 1.0 Version Date: April 30, 2015

SDS Revision History: v1.0 Initial version.

Abbreviations: GHS: Globally Harmonized System of Classification and Labeling of

Chemicals

CAS#: Chemical Abstract Services Number

American Conference of Governmental Industrial Hygienists ACGIH:

Occupational Safety and Health Administration OSHA:

National Fire Protection Association NFPA: DOT: US Department of Transportation

RCRA: US Resource Conservation and Recovery Act

Threshold Limit Value TLV: Time-Weighted Average TWA: PEL: Permissible Exposure Limit Short Term Exposure Limit STEL:

WEEL: Workplace Environmental Exposure Levels American Industrial Hygiene Association AIHA:

National Toxicology Program NTP:

IARC: International Agency for Research on Cancer

Risk R: Safety S:

LD50: Lethal Dose 50%

LC50: Lethal Concentration 50% EC50: Effective Concentration 50% **Bioconcentration Factor BCF** BOD: Biological Oxygen Demand

Koc: Soil Organic Carbon Partition Coefficient.

TIm: Median Tolerance Limit

Key References: United States National Library of Medicine's TOXNET

Patty's Toxicology, 5<sup>th</sup> Edition

European Commission's Institute for Health and Consumer Protection

American Conference of Governmental Industrial Hygienists

International Agency for Research on Cancer United States National Toxicology Program

United States Occupational Safety and Health Administration

United States Department of Transportation Supplier Material Safety Data Sheets

# **SECTION 16 OTHER INFORMATION**

Disclaimer: The data contained herein is based on information that the company

believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and not to such products in combination with any other product and no agent of the company is authorized to vary any of such data. The company and its agents disclaim all liability for any action taken or

foregone on reliance upon such data.

Prepared by: ChemOne Compliance, LLC

Revision Date: April 30, 2015 Page 10 of 10