

**SEVIN® BRAND 80S CARBARYL INSECTICIDE**

MSDS Version 2.1

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name	SEVIN® BRAND 80S CARBARYL INSECTICIDE
Chemical Name	Carbaryl
Synonym	
MSDS Number	195
Chemical Family	
Chemical Formulation	C12H11NO2
EPA Registration No.	264-316
Canadian Registrat. No.	

Bayer CropScience
 2 T.W. Alexander Drive
 Research Triangle PK, NC 27709
 USA

For Product Use Information: (866)-992-2937 Monday through Friday(CRLF) 8:00AM-4:30PM(CRLF) For Medical Emergency contact DART: (800) 334-7577 24 Hours/Day(CRLF) For Transportation Emergency CHEMTREC: (800) 424-9300 24 Hours/Day

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component Name</u>	<u>CAS No.</u>	<u>Concentration % by Weight</u>	
		<u>Minimum</u>	<u>Maximum</u>
CARBARYL, (1-NAPHTHYL N- METHYLCARBAMATE)	63-25-2	80.0000	
DIATOMACEOUS EARTH	61790-53-2		
CALCIUM SILICATE	1344-95-2		
QUARTZ	14808-60-7	0.1100	
Other ingredients (Trade secret)			

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Warning! May be fatal if swallowed.

Physical State	solid powder
Odor	phenolic
Appearance	off-white to pale yellow
Immediate Effects	
Eye	Causes redness, irritation, tearing.

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 000000000195

MSDS Version 2.1

Skin	Harmful if absorbed through skin. May produce symptoms similar to those from ingestion.
Ingestion	May be fatal if swallowed. This product causes reversible cholinesterase inhibition. Repeated overexposure may cause more severe cholinesterase inhibition with more pronounced signs and symptoms. May lead to rapid onset of nausea, vomiting, diarrhea, abdominal pain, involuntary shaking, excess salivation, pinpoint pupils, blurred vision, profuse sweating, temporary paralysis, respiratory depression, and convulsions.
Inhalation	Harmful if inhaled. May produce symptoms similar to those from ingestion.
Chronic or Delayed Long-Term	This product contains ingredients that are considered to be probable or suspected human carcinogens (See Section 11 - Chronic).
Medical Conditions Aggravated by Exposure	Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

SECTION 4. FIRST AID MEASURES

Eye	Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention.
Skin	In case of contact, immediately wash with plenty of soap and water for at least 5 minutes. Seek medical attention if irritation develops or persists. Remove contaminated clothing and shoes. Clean contaminated clothing and shoes before re-use.
Ingestion	If victim is conscious and alert, give 2-3 glasses of water to drink and induce vomiting by touching back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person. Seek immediate medical attention. Do not leave victim unattended. Vomiting may occur spontaneously. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.
Inhalation	Remove victim from immediate source of exposure and assure that the victim is breathing. If breathing is difficult, administer oxygen, if available. If victim is not breathing, administer CPR (cardio-pulmonary resuscitation). Seek medical attention.
Note to Physician	All treatment should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. This product contains a methyl carbamate insecticide, which is a cholinesterase inhibitor.

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 000000000195

MSDS Version 2.1

Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Specific treatment consists of parenteral atropine sulfate. Improve tissue oxygenation as much as possible before administering atropine to minimize the risk of ventricular fibrillation. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Call 1-800-334-7577 before sending samples. Analysis will be arranged by Bayer.

Persons regularly exposed in manufacturing and handling this product should have a preexposure and periodic red blood cell cholinesterase level checks. Narcotics and other sedative should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point	Not applicable
Fire and Explosion Hazards	Like all organic and most dry chemicals, as a powder or dust, this product (when mixed with air in critical proportions and in the presence of an ignition source) may present an explosion hazard.
Suitable Extinguishing Media	Small Fires:, carbon dioxide (CO2), dry chemical Large Fires:, alcohol foam, polymer foam, water spray
Fire Fighting Instructions	Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing. Keep unnecessary people away, isolate hazard area and deny entry. Evacuate residents who are downwind of fire. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later. Persons who may have been exposed to contaminated smoke should be immediately examined by a physician and checked for symptoms of poisoning. The symptoms should not be mistaken for heat exhaustion or smoke inhalation.

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 00000000195

MSDS Version 2.1

SECTION 6. ACCIDENTAL RELEASE MEASURES

General and Disposal Evacuation Procedures and Safety: Wear appropriate gear for the situation. See Personal Protection information in Section 8.

Cleanup and Disposal of Spill: Shovel up into an appropriate closed container (see Section 7: Handling and Storage). Clean up residual material by washing area with water. Decontaminate tools and equipment following cleanup. Avoid creation of dusty conditions.

Land Spill or Leaks Containment of Spill: Follow procedure under Cleanup and Disposal of Spill.

Environmental and Regulatory Reporting: If spilled on the ground, the affected area should be scraped clean and placed in an appropriate container for disposal. Runoff from fire control or dilution water may cause pollution. Prevent material from entering public sewer system or any waterway. Spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Avoid direct or prolonged contact with skin and eyes. Avoid breathing dusts. Do not ingest.

Storing Procedures Store in original container. Keep in a dry, cool place. Store in an area that is away from foodstuffs or animal feed, out of reach of children and animals.

Work/Hygienic Procedures Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

Do not store, use, and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.

Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics, or using the toilet.

Wash exposed skin promptly to remove accidental splashes of contact with this material.

In addition, based upon the specific hazard of this product: Do not take clothing/objects contaminated by this material off the work site. Shower and change into street clothes before leaving the work site.

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 00000000195

MSDS Version 2.1

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Where engineering controls are indicated by use conditions of a potential for excessive exposure exists, the following traditional exposure control techniques may be used to effectively minimize employee exposures: general area dilution/exhaust ventilation

Eye/Face Protection Eye and face protection requirements will vary dependent upon work environment conditions and material handling practices. Appropriate ANSI Z87 approved equipment should be selected for the particular use intended for this material.

Eye contact should be prevented through use of chemical safety glasses with side shields or splash proof goggles. An emergency eye wash must be readily accessible to the work area.

Body Protection Skin contact should be prevented through use of suitable protective clothing, gloves and footwear, selected with regard of use conditions and exposure potential. Consideration must be given both to durability as well as permeation resistance.

Respiratory Protection When respirators are required, select NIOSH/MSHA approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industrial recommendations.

Under normal conditions, in the absence of other airborne contaminants, the following should provide protection from this material up to the conditions specified by the appropriate OSHA, WHMIS or ANSI standard(s): Air-purifying (half-mask/full-face) respirator with cartridge/canister approved for use against pesticides.

Under conditions immediately dangerous to life or health, or emergency conditions with unknown concentrations, use a full-face positive pressure air-supplied respirator equipped with an emergency escape air supply unit or use a self-contained breathing apparatus unit.

General Protection These recommendations provide general guidance for handling this product. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and piping systems for maintenance and repairs. Waste resulting from these procedures should be handled in accordance with Section 13: Disposal Considerations.

Assistance with selection, use and maintenance of worker protection equipment is generally available from equipment manufacturers.

Exposure Limits

Material Safety Data Sheet

MSDS Number: 000000000195
MSDS Version 2.1

SEVIN® BRAND 80S CARBARYL INSECTICIDE

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE)	63-25-2	ACGIH	TWA	5 mg/m3
		NIOSH	REL	5 mg/m3
		OSHA Z1	PEL	5 mg/m3
		OSHA Z1A	TWA	5 mg/m3
		US CA OEL	TWA PEL	5 mg/m3
DIATOMACEOUS EARTH	61790-53-2	OSHA Z1A	TWA	6 mg/m3
		US CA OEL	TWA PEL	3 mg/m3
		Form of Exposure	Respirable dust.	
		US CA OEL	TWA PEL	6 mg/m3
		Form of Exposure	Total dust.	
		US CA OEL	TWA PEL	6 mg/m3
		ACGIH	TWA	10 mg/m3
		Remarks	The value is for particulate matter containing no asbestos and <1% crystalline silica.	
		ACGIH	TWA	3 mg/m3
		Remarks	The value is for particulate matter containing no asbestos and <1% crystalline silica.	
CALCIUM SILICATE	1344-95-2	ACGIH	TWA	10 mg/m3
		Remarks	The value is for particulate matter containing no asbestos and <1% crystalline silica.	
		NIOSH	REL	5 mg/m3
		Form of Exposure	Respirable.	
		NIOSH	REL	10 mg/m3
		Form of Exposure	Total	
		OSHA Z1	PEL	5 mg/m3
		Form of Exposure	Respirable fraction.	
		OSHA Z1	PEL	15 mg/m3
		Form of Exposure	Total dust.	
		OSHA Z1A	TWA	5 mg/m3
		Form of Exposure	Respirable fraction.	
		OSHA Z1A	TWA	15 mg/m3
		Form of Exposure	Total dust.	
		US CA OEL	TWA PEL	5 mg/m3
Form of Exposure	Respirable fraction.			
US CA OEL	TWA PEL	10 mg/m3		
Form of Exposure	Total dust.			
QUARTZ	14808-60-7	NIOSH	REL	0.05 mg/m3
		Form of Exposure	Respirable dust.	
		OSHA Z1A	TWA	0.1 mg/m3
		Form of Exposure	Respirable dust.	
		US CA OEL	TWA PEL	0.1 mg/m3
Form of Exposure	Respirable dust.			
US CA OEL	TWA PEL	0.3 mg/m3		

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 00000000195
MSDS Version 2.1

Form of Exposure		Total dust.
ACGIH	TWA	
		0.05 mg/m3

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance off-white to pale yellow

Physical State solid powder

Odor phenolic

pH 4 - 6.5 at 5 wt/wt%.

Vapor Pressure Not available

Vapor Density (air = 1) Not available

Specific Gravity Not Available

Boiling Point Not available

Melting/Freezing Point Not available

Solubility (in water) dispersible

Molecular Weight 201.2 g/mol

Decomposition Temperature 140 °C

Other Information Physical and Chemical properties here represent typical properties of this product. Contact the business area using the Product Information phone number in Section 1 for its exact specifications.

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability This material is stable under normal handling and storage conditions described in Section 7.

Conditions to Avoid extreme heat
open flame

Incompatibility strong acids
bases

Hazardous Products of Decomposition Decomposition Type: thermal
oxides of nitrogen
carbon oxides

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 00000000195
MSDS Version 2.1

methyl isocyanate
(trace; no adverse effects expected)

**Hazardous Polymerization
(Conditions to avoid)** not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity Rat: LD50: 281 mg/kg

Acute Dermal Toxicity Rabbit: LD50: > 2,000 mg/kg

Acute Inhalation Toxicity No test data found for product.

Acute Respiratory Irritation:
No test data found for product.

Skin Irritation Rabbit: Minimally Irritating

Eye Irritation Rabbit: Slightly irritating.

Chronic Toxicity Carbaryl has been shown to cause tumors in laboratory animals in lifetime feeding studies. Carbaryl, when administered by various routes, at doses toxic to the maternal animals, has been shown to produce developmental toxicity in a number of species. Carbaryl produces no teratogenic effect in the absence of maternal toxicity.

Assessment Carcinogenicity

ACGIH

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE) 63-25-2 Group A4

CALCIUM SILICATE 1344-95-2 Group A4

QUARTZ 14808-60-7 Group A2

NTP

QUARTZ 14808-60-7

IARC

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE) 63-25-2 3

OSHA

None

SECTION 12. ECOLOGICAL INFORMATION

Acute and Prolonged Toxicity to Fish The following data is based on the technical grade active ingredient(s) (TGA).
Bluegill sunfish
LC50: 6760 ug/l
Exposure Time: 96 h

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 00000000195
MSDS Version 2.1

Dietary concentrations.

The following data is based on the technical grade active ingredient(s) (TGAI).

Rainbow trout

LC50: 1950 ug/l

Exposure Time: 96 h

Toxicity Other Non Mammal Terr. Species

The following data is based on the technical grade active ingredient(s) (TGAI).

Mallard duck

LC50: > 5,000 mg/kg

Exposure Time: 8 d

Dietary concentrations.

The following data is based on the technical grade active ingredient(s) (TGAI).

Bobwhite quail

LC50: > 5,000 mg/kg

Exposure Time: 8 d

Environmental Fate

For chemical fate data call the product information phone number listed in Section 1.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Please be advised that state and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Consult state and local regulations regarding the proper disposal of this material.

EPA Hazardous Waste - Yes

RCRA Classification

63-25-2 CARBARYL, (1-NAPHTHYL N- METHYLCARBAMATE)

US. EPA Resource Conservation and Recovery Act (RCRA) U List of Hazardous Wastes (40 CFR 261.33(f) and 40 CFR 302 [CERCLA]): U279

SECTION 14. TRANSPORT INFORMATION

For Transportation Regulatory Information call the Product Information phone number in Section 1.

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 00000000195
MSDS Version 2.1

SECTION 15. REGULATORY INFORMATION

US Federal

EPA Registration No. 264-316

TSCA list

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE)	63-25-2
DIATOMACEOUS EARTH	61790-53-2
CALCIUM SILICATE	1344-95-2
QUARTZ	14808-60-7

TSCA 12b export notification

None

SARA Title III - section 302 - notification and information

None

SARA Title III - section 313 - toxic chemical release reporting

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE)	63-25-2	1.0%
--	---------	------

US States Regulatory

CA Prop65

This product contains a chemical known to the state of California to cause cancer. QUARTZ 14808-60-7

US State right-to-know ingredients

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE)	63-25-2	CA, CT, IL, MA, MN, NJ, PA, RI
DIATOMACEOUS EARTH	61790-53-2	IL
CALCIUM SILICATE	1344-95-2	IL, MN, PA, RI
QUARTZ	14808-60-7	IL, MA, MN, PA

Canadian Regulations

Canadian Registrat. No.

Canadian Domestic Substance List

CALCIUM SILICATE	1344-95-2
QUARTZ	14808-60-7

Environmental

CERCLA

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE)	63-25-2	100 lbs
--	---------	---------

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None

International Regulations

Material Safety Data Sheet

SEVIN® BRAND 80S CARBARYL INSECTICIDE

MSDS Number: 00000000195
MSDS Version 2.1

EU Classification

None

European Inventory of Existing Commercial Substances (EINECS)

CARBARYL, (1-NAPHTHYL N-METHYLCARBAMATE)	63-25-2
CALCIUM SILICATE	1344-95-2
QUARTZ	14808-60-7

SECTION 16. OTHER INFORMATION

	Health	Flammability	Reactivity	Others
HMIS	2	1	1	
NFPA	3	1	1	

Reason for Revisions: Company name change.

Print Date: 12/18/2002

Supersedes MSDS, which is older than: 12/16/2002

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer AG. Bayer CropScience