

Version 1.3

Revision Date 02/13/2017

Print Date 06/08/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	A00133 MST ASPIRE FURN CLEANER/POL 2001	
Material number	:	0000000001038046	
Manufacturer or supplier's d	leta	ils	
Company	:	Zep Inc.	
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318	
Telephone	:	404-352-1680	

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	white
Odour	characteristic

GHS Classification

Gases under pressure	: Liquefied gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	 Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. P403 Store in a well-ventilated place.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Version 1.3

Revision Date 02/13/2017

Print Date 06/08/2017

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]				
propane	74-98-6	>= 1 - < 5				
The exact percentages of disclosed substances are withheld as trade secrets.						

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	:	Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.	
lf inhaled	:	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact	:	If skin irritation persists, call a physician. If on clothes, remove clothes. Wash off immediately with plenty of water for at least 15 minutes.	
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Keep respiratory tract clear. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.	
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.	
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Carbon dioxide (CO2) Foam Water spray jet
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.



Version 1.3	R	evision Date 02/13/2017	Print Date 06/08/2017
Hazardous combustion	: Ca	arbon dioxide (CO2)	
products	-	arbon monoxide	
		noke	
Specific extinguishing		se extinguishing measures that ar	
methods	Ci	rcumstances and the surrounding	environment.
Further information	: Co	ollect contaminated fire extinguish	ning water separately. This
	m	ust not be discharged into drains.	
		or safety reasons in case of fire, c eparately in closed containments.	ans should be stored
		se a water spray to cool fully close	od containors
		re residues and contaminated fire	
		e disposed of in accordance with I	a
Special protective equipment	: W	ear self-contained breathing appa	aratus for firefighting if
for firefighters	ne	ecessary.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist. Take precautionary measures against static discharges. Always replace cap after use.
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions. Electrical installations / working materials must comply with



Version 1.3	Revision Date 02/13/2017	Print Date 06/08/2017
	the technological safety standards. Keep in a dry, cool and well-ventilat	

Materials to avoid : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

Engineering measures	:	effective	ventilation	in all	processing areas
----------------------	---	-----------	-------------	--------	------------------

Personal protective equipment

Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection	
•	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection :	Safety glasses Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection :	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures :	Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas	
Colour	: white	

SAFETY DATA SHEET



A00133 MST ASPIRE FURN CLEANER/POL 20N16

rsion 1.3	Revision Date 02/13/2017	Print Date 06/08/2017
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: No data available	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: Not applicable	
Evaporation rate	: <1 n-Butyl Acetate = 1.0	
Flammability (solid, gas)	: The product is not flammable.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.95 g/cm3	
Solubility(ies)		
Water solubility	: soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 7.54 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx)



Version 1.3

Revision Date 02/13/2017

Print Date 06/08/2017

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effe	ects
Aggravated Medical Condition	: None known.
Symptoms of Overex	 posure : Effects may be delayed, symptoms may include minor eye or skin irritation.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Components:	
propane:	
Acute inhalation to:	xicity : LC50 Mouse: 1,237 mg/l Exposure time: 2 h
	LC50 Rat: 658 mg/l Exposure time: 4 h
	LC50 Rat: 1,355 mg/l
Skin corrosion/irritation	
No data available	
Serious eye damage/ey	e irritation
No data available	
Respiratory or skin sens	sitisation
No data available	
Germ cell mutagenicity	
No data available	
Carcinogenicity	
No data available	
Reproductive toxicity	
No data available	



Version 1.3

Revision Date 02/13/2017

Print Date 06/08/2017

propane:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n-	: Remarks: No data available
octanol/water	

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation40 CFR Protection of Environment; Part 82 Protection of
Stratospheric Ozone - CAA Section 602 Class I
SubstancesRemarksThis product neither contains, nor was manufactured
with a Class I or Class II ODS as defined by the U.S.
Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A
+ B).

Additional ecological : No data available information



Version 1.3

Revision Date 02/13/2017

Print Date 06/08/2017

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. The product should not be allowed to enter drains, water courses or the soil.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



1

0

2

A00133 MST ASPIRE FURN CLEANER/POL 20N16


Version 1.3	Revision Date 02/13/2017	Print Date 06/08/2017
SARA 311/312 Hazards	: Sudden Release of Pressure Hazard	I
SARA 302	: No chemicals in this material are sub requirements of SARA Title III, Secti	, , ,
SARA 313	: This material does not contain any c known CAS numbers that exceed th reporting levels established by SAR/	e threshold (De Minimis)
California Prop 65	This product does not contain any cl California to cause cancer, birth defe reproductive harm.	
The components of this	product are reported in the following inv	ventories:
DSL T	On TSCA Inventory This product contains one or more components that are listed on the Canadian NDSL. All other components are on the Canadian DSL.	

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:





Version 1.3

Revision Date 02/13/2017

Print Date 06/08/2017

Hazard statements Precautionary statements Contains gas under pressure; may explode if heated.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place.

Version:	1.3
Revision Date:	02/13/2017
Print Date:	06/08/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.